	Type	#	Hits	Search Text	DBs	Time Stamp
н	BRS	L1	42270	(determin\$5 calculat\$5 (phase near	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 16:33
2	BRS	Li2	28800	(splitter or (light or si	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 16:21
3	BRS	L3	66381	(first and second) near3 phase\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 16:21
4	BRS	L4	20200	polariz\$6 near4 component\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 16:21
5	BRS	1.5	11474	(determin\$ monitor\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 16:21
9	BRS	L6	4706	(determin\$5 or detect\$5 or measur\$5 or monitor\$5) near5 (first near3 intensity)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 16:21
7	BRS	L7	4211	(determin\$5 or detect\$5 or measur\$5 or monitor\$5) near5 (second near3 intensity)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 16:21
<u> </u>	BRS	L8	81255	(wafer or (magnetic nead ((glass or transparent of (substrate or disc or diayer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 16:21
თ	BRS	L9	28	((determin\$5 or detect\$5 or measur\$5 or calculat\$5 or monitor\$5 or inspect\$5) near\$ (phase near\$2 differen\$5)) and ((splitter or spliter) with (reflect\$5 near\$3 (light or signal or beam)) and ((first and second) near\$3 phase\$2) and (polariz\$6 near\$4 component\$2) and ((determin\$5 or detect\$5 or measur\$5 or monitor\$5) near\$3 intensity) and @ad<=19970922	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27
10	BRS	L10	16765	(determin\$5 or detect\$5 or measur\$5 or calculat\$5 or monitor\$5 or inspect\$5) near5 (thickness or (magnetic near2 characteristic))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27
11	BRS	L11	651	(determin\$5 or detect\$5 or measur\$5 or calculat\$5 or monitor\$5 or inspect\$5) near5 (kerr near2 effect)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 16:21

	Туре	н Н	Hits	Search Text	DBs	Time Stamp
12	BRS	112	16816	((determin\$5 or detect\$5 or measur\$5 or calculat\$5 or monitor\$5 or inspect\$5) near\$1 (thickness or (magnetic near\$2 characteristic))) or ((determin\$5 or detect\$5) or measur\$5 or calculat\$5 or monitor\$5 or inspect\$5) near\$5 (kerr near\$2 effect))	or near5 USPAT; US-PGPUB; EPO; detect\$5 JPO; DERWENT; IBM_TDB .5 or	2004/10/27
13	BRS	L13	34		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 16:23
14	BRS	L14	. 10	(((determin\$5 or detect\$5 or measur\$5 or calculat\$5 or monitor\$5 or inspect\$5) near\$ (phase near2 differen\$5)) and ((splitter or splitter) with (reflect\$5 near3 (light or signal or beam))) and (polariz\$6 near4 component\$2) and ((determin\$5 or detect\$5 or measur\$5 or monitor\$5) near3 intensity) and ((determin\$5 or detect\$5 or measur\$5 or monitor\$5 or inspect\$5) near5 (thickness or (magnetic near2 chect\$5 or detect\$5 or monitor\$5 or detect\$5 or monitor\$5 or detect\$5 or measur\$5 or calculat\$5 or monitor\$5 or detect\$5 or measur\$5 or calculat\$5 or monitor\$5 or detect\$5 or measur\$5 or monitor\$5) near\$ ((determin\$5 or detect\$5 or measur\$5 or monitor\$5) near\$ (intensity)) or ((determin\$5 or detect\$5 or measur\$5 or monitor\$5) near\$ (first near3 intensity)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27

	Type	#	Type L # Hits	Search Text	DBs	Time Stamp
15	15 BRS	L15 77		1 and 3 and 4 and 5 and @ad<=19970922	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 16:35
16	16 BRS	L16 10	10	15 and (plane near3 incidence)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 16:36
17	17 BRS	L17 22		15 and 8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 16:37
18	18 BRS	L18	5	17 and 12	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 16:38